



1 1/4" Brad Nailer (18-Gauge)

CHN10199

- Use for trim work, interior molding, baseboards, paneling, and cabinet assembly/installation
- Features include: quick-clear nose, adjustable depth mechanism, non-marring tip, adjustable exhaust, rubber comfort grip and sequential trigger
- Kit Includes: 1 1/4" Brad Nailer (18-Gauge), 1 1/4" brad nails (1,000 pcs), male plug (1/4" NPT), 3 hex wrenches, bottle of tool oil, high impact carry case

0.8 AVG. SCFM Requirement @ 90 PSI



2" Brad Nailer (18-Gauge)

CHN10299

- Use for trim work, interior molding, baseboards, paneling, woodworking and crafts
- Features include: quick-clear nose, adjustable depth mechanism, non-marring tip, adjustable exhaust, rubber comfort grip and sequential trigger
- Kit Includes: 2" Brad Nailer (18-gauge), 2" brad nails (1,000 pcs.), male plug (1/4" NPT), 2 hex wrenches, bottle of tool oil, high impact carry case

1.3 AVG. SCFM Requirement @ 90 PSI



Why Use a Pneumatic Nailer?

A pneumatic nailer takes all the work out of driving nails. A nailer saves you time. With one pull of the trigger the nailer will bury the nail head below the wood surface. You can drive nails with one hand, allowing your other to be free to hold your work pieces in place. A nailer can also drive nails in tight spots where you don't have room to swing a hammer. Nailers make smashed thumbs, bent nails and hammer marks on the wood a thing of the past. Whether you are working on interior trim, crown molding, chair rail, craft projects, framing a basement, building a deck or roofing a house, Campbell Hausfeld® has the right nailer for your project.

1/4" Crown Stapler (18-Gauge)

CHN10399

- Use for furniture, cabinet assembly, finish carpentry, floor underlayment, upholstery, and crafts
- Features include: quick-clear nose, adjustable depth mechanism, non-marring tip, adjustable exhaust, rubber comfort grip and sequential trigger
- Kit Includes: 1/4" Crown Stapler (18-Gauge), 1" finishing staples (1,000 pcs), male plug (1/4" NPT), 2 hex wrenches, bottle of tool oil, high impact carry case



0.8 AVG. SCFM Requirement @ 90 PSI

2-in-1 Brad Nailer / Stapler

CHN10499

- Two tools in one. Use for trim work, crafts, paneling, cabinet assembly, floor underlayment, and upholstery
- Features include: quick-clear nose, adjustable depth mechanism, non-marring tip, adjustable exhaust, rubber comfort grip and sequential
- Kit Includes: 2-in-1 Brad Nailer/Stapler (18-gauge), 1 1/4" brad nails (1,000 pcs.), 1" x 1/4" crown staples (1,000 pcs.), male plug (1/4" NPT), 2 hex wrenches, bottle of tool oil, high impact carry case



0.8 AVG. SCFM Requirement @ 90 PSI

2 1/2" Finish Nailer (16-Gauge)

CHN20199

- Use for trim work, interior molding, baseboards, paneling, and cabinet assembly/installation
- Features include: rubber comfort grip, quick clear nose, depth control mechanism, adjustable exhaust port, no-mar rubber tip, and single cycle trigger
- Kit Includes: 2-1/2" Finish Nailer (16 Gauge), 2-1/2" finish nails (1,500 pcs), male plug (1/4" NPT), 3 hex wrenches, bottle of tool oil, high impact carry case



1.8 AVG. SCFM Requirement @ 90 PSI

3 1/2" Clipped Head Framing Nailer (34°) NS349099

NEW

- Use for framing, sheathing, trusses, decks, crates and pallets
- Features include: rubber comfort grip, removable decking tip, and single cycle/contact trip trigger
- Kit Includes: 3 1/2" Clipped Head Framing Nailer (34°), male plug (1/4" NPT), 4 hex wrenches, bottle of tool oil, high impact carry case



4.1 AVG. SCFM Requirement @ 90 PSI

3 1/2" Round Head Framing Nailer (21°) NS219099

NEW

- Use for framing, sheathing, trusses, decks, crates, and pallets
- Features include: rubber comfort grip, removable decking tip, and single cycle/contact trip trigger
- Kit Includes: 3 1/2" Round Head Framing Nailer (21°), male plug (1/4" NPT), 4 hex wrenches, bottle of tool oil, high impact carry case



4.1 AVG. SCFM Requirement @ 90 PSI

Coil Roof Nailer

RN154599

- Use for asphalt and fiberglass roofing shingles, reroofing, and sheathing
- Features include: rubber comfort grip, depth control mechanism, front exhaust port, adjustable shingle guide, oversized carbide tips, and contact trip trigger
- Kit Includes: Coil Roofing Nailer, male plug (1/4" NPT), 3 hex wrenches, OSHA/ANSI approved safety glasses, bottle of tool oil, high impact carry case



4.5 AVG. SCFM Requirement @ 90 PSI

Nailer Specifications

Model No.	Safety Mechanism	Magazine Capacity	Fastener Lengths	Shank Dia. or Gauge	scfm @90 PSI	PSI
CHN101	Single Cycle	100 n	3/8" - 1-1/4"	18-gauge	0.8	60 - 100
CHN102	Single Cycle	100 n	5/8" - 2"	18-gauge	1.3	60 - 100
CHN103	Single Cycle	100 s	3/8" - 1-1/4"	18-gauge	0.8	60 - 100
CHN104	Single Cycle	100 n/s	3/8" - 1-1/4"	18-gauge	0.8	60 - 100
CHN201	Single Cycle	100 n	1" - 2-1/2"	16-gauge	1.8	70 - 100
NS3490	Single w/ contact mech.	100 n	2" - 3-1/2"	.113"-.131" dia. (34°)	1.8	70 - 120
NS2190	Single w/ contact mech.	100 n	2" - 3-1/2"	.113"-.131" dia. (21°)	4.1	70 - 120
RN1545	Contact	120 n	7/8" - 1-3/4"	.120"	4.5	70 - 115

Interchange Information

Fasteners designed for the following tools will also work in Campbell Hausfeld nailers.

CH Model No	Bostitch	Hitachi	Paslode	Porter Cable	Senco
CHN101	BT125SK	NT30A	2138-F18	BN125	FinishPro® 15
CHN102	—	NT50A	2138-F18	—	—
CHN103	—	N3804A	—	NS100	LN4450, SJS-LR, SKS L11-15
CHN104	BT125SK	NT30A, N3804A	2138-F18	BN125, NS100	FinishPro® 15
CHN201	SB1664FN	NT65A	3250-F16	FN250A	FinishPro® 32
NS3490	—	NR83AA2	F-3505	FC350A	Framepro 701XP
NS2190	—	NR83A	—	FR350A	Framepro 702XP, Framepro 752XP
RN1545	N12B RN45	NV45AB	—	RN175	SCN200R

18-Gauge Brad Nails

Model No.	Gauge	Length	Nails /stick	Qty./box
FB180016AV	18	5/8"	100	1,000
FB180025AV	18	1"	100	1,000
FB180030AV	18	1-1/4"	100	1,000
FB180040AV	18	1-1/2"	100	1,000
FB180050AV	18	2"	100	1,000

16-Gauge Finish Nails

Model No.	Gauge	Length	Nails /stick	Qty./box
FB160025AV	16	1"	50	1,000
FB003060AV	16	1-1/4"	50	2,500
FB160040AV	16	1-1/2"	50	1,000
FB160050AV	16	2"	50	1,000
FB160065AV	16	2-1/2"	50	1,000

1/4" Crown Staples 18-Gauge

Model No.	Gauge	Length	Nails /stick	Qty./box
FN180615AV	18	1/2"	100	1,000
FN180620AV	18	3/4"	100	1,000
FN180625AV	18	1"	100	1,000
FN180630AV	18	1-1/4"	100	1,000

Campbell Hausfeld also carries a full line of 15-ga. Finish Nails, Stick Framing Nails and Coil Roofing Nails. Please visit www.chpower.com for more details.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>