

Harness Strap Replacement Instructions


**Do not use this car seat until you read and understand these instructions!
Incorrect usage can mean serious injury or death to a child in a sudden stop or accident!**

If you need help, please call 1-800-837-4044


* Remove Current Harness Straps:

1 Loosen harness straps:

- Lift Adjuster Lever on lower front of car seat.
- Pull harness straps.




2 Remove harness strap loops from Splitter Plate.




3 Pull harness straps out of current slots.

4 Remove harness tie from harness straps.




5 Push red button on lower front of car seat to unbuckle latch tongue.



6 Cut harness strap close to shield.

NOTE: Do not attempt to remove metal anchor inside shield. Loose metal anchor may remain inside shield.


Throw harness strap away.




* Install New Harness Straps:

1 With both harness straps towards car seat and short strap towards you:


- Insert anchor into slot in bottom of shield exactly as shown.
- Pull harness strap to check that anchor does not come out.



2 Buckle latch tongue into opening.



3 Thread right harness strap through right side of harness tie (child's right).



4 Thread harness straps through desired slots of seat pad and car seat shell.

IMPORTANT:

- For rear-facing infants, **bottom** or **middle** slots, which are at or just below shoulders, must be used.
- For forward-facing toddlers, **top** slots must be used.




5 Slide loop on end of each harness strap onto Splitter Plate.



6 Make sure Splitter Plate Strap passes between recliner stand and car seat shell (see arrow).


NOTE: Splitter Plate Strap must not be twisted.



HEIGHT & WEIGHT LIMITS

Rear-facing: Birth to 22 lbs. (10 kg)

- Infants from birth to 20 lbs. (9.1 kg) **MUST** be *rear-facing*.
- Infants or toddlers 20 to 22 lbs. (9.1 to 10 kg) may be *rear-facing*.



Forward-facing: 20 to 40 lbs. (9.1 to 18.1 kg)

- Toddlers 20 to 22 lbs. (9.1 to 10 kg) who are capable of sitting upright unassisted may be forward-facing **★**. If unable to sit unassisted, use *rear-facing*.
- Toddlers 22 to 40 lbs. (10 to 18.1 kg) and up to 40 inches (101.6 cm) tall **MUST** be forward-facing.

★ The American Academy of Pediatrics recommends that children should be at least one year of age before being positioned forward facing.

Preterm or Low Birth Weight Infants

A preterm infant or low birth weight infant may be at special risk in a vehicle or aircraft.

According to the American Academy of Pediatrics, these infants may suffer breathing difficulties if improperly reclined in a car seat.

Century advises that you have your physician or hospital staff evaluate your infant and recommend the proper car seat or car bed **before** you and your infant leave the hospital.

Outgrowing Car Seat

⚠ WARNING

Prevent serious injury or death:

- Top of child's ears must be below top edge of car seat.
- Child's shoulders **MUST** not be above top harness slots.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>