



Sunbeam®

HEATED PRODUCT User Manual



P.N. 117273-000 AMB-041505

Sleep warm. Sleep well.™

www.sunbeam.com

Download from Www.Somanuals.com. All Manuals Search And Download.

IMPORTANT INSTRUCTIONS DO NOT DESTROY

Warnings and Safeguards

As with all electrical products, misuse of product or failure to properly follow the instructions may cause overheating, fire or personal injury. Please read the product label and all of the instructions before using your warming product.

1. Do not use this warming product with an infant, a child, an incapacitated person, a paraplegic, a quadriplegic, a diabetic, one insensitive to heat such as a person with poor blood circulation, or anyone who cannot clearly understand the instructions and/or operate the controls.
2. Do not use with damaged cords. Damaged cords can lead to fire. Do not trap, fold, cross or pinch cords between bed slats, mattress or springs, or against walls, footboards or bed frame.
3. Do not dry clean this warming product. Cleaning liquid may damage the insulation of the heating element. Improper laundering may cause problems with the heating wire which can lead to fire.
4. Do not pinch, flex or expose the heating wire to rubbing. A damaged heating wire may result in possible overheating or fire.
5. Turn off the control for the warming product when not using.
6. Keep control away from an open window.
7. Do not use pins; they may damage the electric wiring.
8. Be sure this blanket/mattress pad/throw is used only on an AC supply current circuit of 110-120 volts. Do not use with an extension cord.
9. May experience increased heat in areas where warming product is bunched or folded while in use.
10. Keep all dogs, cats and other pets away from this warming product. This is an electrical appliance that they can damage or be injured by.
11. Do not use blanket/mattress pad on a waterbed, sofa, bunk bed or mechanically adjustable bed and do not use throw on a waterbed, bunk bed or mechanically adjustable bed.
12. Do not use another electronic heating device in conjunction with your warming product.
13. Use the proper size blanket/mattress pad for your bed. For example, use a Twin Size warming blanket on a Twin Size bed.
14. If the following Important Instructions are not followed, the warming product will not operate properly.
15. Not for hotel, motel or other institutional use.
16. If you see the warming product operating improperly, unplug it immediately and call Sunbeam Consumer Care at 800-892-7684.

Welcome

Thank you for choosing a Sunbeam® warming product. With your purchase you've made a real investment in your comfort and can look forward to staying warm and cozy for many cool days to come.

With over 50 years of experience and over 25 million households using a Sunbeam® warming product, rest comfortably knowing that you can trust the Sunbeam® brand for quality and performance.

So get ready for a more restful sleep.









Table of contents

Control Chart	2
Auto-Off & Preheat Features	2
Heated Blanket and Mattress Pad	
Set Up	3
Control Features	4
Warming Throw	
Set Up	5
Control Features	5
Care and Cleaning	6
Frequently Asked Questions	7-8
Warranty	9
How to Obtain Warranty Service	10

DO NOT RETURN THIS PRODUCT TO THE PLACE OF PURCHASE.

If you have any questions while setting up or using your product, please visit us on the World Wide Web at: www.sunbeam.com or contact Sunbeam Consumer Care at: (800) 892-7684.

Control Chart

Style Number	SmartSense™  G85 (Single Control) G85KQ (Dual Control)	ChoicePlus™  85P (Single Control) 85KQP (Dual Control)	StyleSmart™  H85 (Single Control) H85KQ (Dual Control)	ViewEasy™  D85P (Single Control) D85KQP (Dual Control)	SimpliTouch™  K85P (Single Control) K85KQP (Dual Control)	EasySet™  J85P/J85D (Single Control) J85KQP/ J85KQP (Dual Control)	SlimStyle™A0  A85AP Throw	SlimStyle™  A85P Throw
Backlit Display	☼	☼	☼	☼				
Auto-Off	10 hour	10 hour	10 hour	10 hour	10 hour		3 hour	
Warming Settings	10	20	10	10	10	10	3	3
Silent Operation	☼	☼	☼	☼	☼	☼	☼	☼
Preheat	☼	☼						
Easy Operation	☼	☼	☼	☼	☼	☼	☼	☼
Easy Grip	☼	☼	☼	☼	☼	☼	☼	☼
Interchangeable Top	☼							
Auto Dimmer					☼	☼		

Auto-Off & Preheat Features

Auto-Off Feature
(selected models only):

The “Auto-Off” feature is designed for conservation of energy by automatically turning your blankets or mattress pad off after 10 hours of continuous use (3 hours for throws).

For Dual Controls: Each control operates independently and will turn off 10 hours after the control is turned “On”.

Note: After a power outage, the “Auto-Off” feature automatically resets the timer.

To restart all warming products after a power failure:

Press the power button and the warming product will begin to warm.


Preheat Feature
(selected models only):

- 1 To use the preheat feature, simply press the round “On/Off” button and then press the “Preheat” button. The display will show “PH” while the function is activated. The preheat function will heat the bed for a period of 30 minutes and the control will return to its previous setting.
- 2 To reset the preheat feature, simply turn off the control and then turn it back on by pressing the “On/Off” button.




Heated Blanket and Mattress Pad Set Up


- 1 Place the heated blanket/mattress pad on the bed with the label at the foot of the bed facing upward.
- 2 Make sure the cord is connected into the module at the bottom of the heated blanket/mattress pad until the plastic hinges click into place.
CAUTION: Cord must be COMPLETELY CONNECTED. A risk of fire could result from a loose connection.
- 3 Run the control cord on the floor under the bed. Do not sandwich cord between the mattress and box spring. Avoid any tangling or pinching.
- 4 **Control Placement:**



- **Dual Control for heated blanket or mattress pad** – place primary control (label on back of control) on the right side of the bed.



- **Single Control for heated blanket or mattress pad** – the control can be placed on either side of the bed.



See *Control Features* on page 4 for your individual control.

If there is a flashing light or your control displays a flashing "FF", see page 8.

- 5 Plug power cord into a 110-120 volt wall outlet.



CAUTION: Do not plug main power cord into the wall outlet until you have completely set up your warming product per the instructions.

- Disconnect power cord from wall before detaching control from warming product.
- Always make sure cords are NOT trapped or pinched between bed slats, mattress, springs, against wall, foot board or bed frame, or between furniture, walls or chairs.

CAUTION: Do not attempt to force the plug. This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electrical shock, this plug is intended to fit only one way into an outlet. If the plug does not fit in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician.

Control Features

SmartSense™

G85
(Single Control)
G85KQ
(Dual Control)



Features:

- INTERCHANGEABLE COVERPLATES – Two colors included
- DIGITAL CONTROL – with backlit LCD for nighttime viewing
- AUTO-OFF – 10 hour independent auto-off (see page 2)
- 10 TEMPERATURE SETTINGS – select your personal comfort level
- SILENT OPERATION – no clicking when adjusting the temperature
- PREHEAT – for cozy warmth before bedtime (see page 2)
- SOLID STATE – for accurate and consistent heat control
- EASY OPERATION – electronic digital control for easy operation
- EASY GRIP – ergonomic control for easy operation

ChoicePlus™

85P
(Single Control)
85KQP
(Dual Control)




Features:

- DIGITAL CONTROL – with backlit LCD for nighttime viewing
- AUTO-OFF – 10 hour independent auto-off (see page 2)
- 20 TEMPERATURE SETTINGS – select your personal comfort level
- SILENT OPERATION – no clicking when adjusting the temperature
- PREHEAT – for cozy warmth before bedtime (see page 2)
- SOLID STATE – for accurate and consistent heat control
- EASY OPERATION – electronic digital control for easy operation
- EASY GRIP – ergonomic control for easy operation

StyleSmart™

H85
(Single Control)
H85KQ
(Dual Control)



Features:

- DIGITAL CONTROL – with backlit LCD for nighttime viewing
- AUTO-OFF – 10 hour independent auto-off (see page 2)
- 10 TEMPERATURE SETTINGS – select your personal comfort level
- SILENT OPERATION – no clicking when adjusting the temperature
- SOLID STATE – for accurate and consistent heat control
- EASY OPERATION – electronic digital control for easy operation
- EASY GRIP – ergonomic control for easy operation

ViewEasy™

D85P
(Single Control)
D85KQP
(Dual Control)



Features:

- DIGITAL CONTROL – with backlit LCD for nighttime viewing
- AUTO-OFF – 10 hour independent auto-off (see page 2)
- 10 TEMPERATURE SETTINGS – select your personal comfort level
- SILENT OPERATION – no clicking when adjusting the temperature
- SOLID STATE – for accurate and consistent heat control
- EASY OPERATION – electronic digital control for easy operation
- EASY GRIP – ergonomic control for easy operation

SimpliTouch™

K85P
(Single Control)
K85KQP
(Dual Control)



Features:

- BACKLIT DIAL – for easy nighttime viewing of the warming setting
- AUTO-OFF – 10 hour independent auto-off (see page 2)
- 10 TEMPERATURE SETTINGS – select your personal comfort level
- SOLID STATE – for accurate and consistent heat control
- EASY GRIP – ergonomic control for easy operation
- AUTO DIMMER – the lighted dial will automatically dim after 60 seconds

EasySet™

J85P/J85D
(Single Control)
J85KQP/J85KQP
(Dual Control)



Features:

- BACKLIT DIAL – for easy nighttime viewing of the warming setting
- 10 TEMPERATURE SETTINGS – select your personal comfort level
- SOLID STATE – for accurate and consistent heat control
- EASY GRIP – ergonomic control for easy operation
- AUTO DIMMER – the lighted dial will automatically dim after 60 seconds

Using Your Control:

1 To turn the control on, simply press the “On/Off” button.

Note: For the SmartSense™, ChoicePlus™, StyleSmart™, ViewEasy™ controls, the backlit display light will reset itself by flashing “88” and then will return to the previous setting and will begin to warm.

2 Adjust the warming setting to your personal comfort level.

3 To turn the heated blanket/mattress pad OFF simply press the “On/Off” button.


CAUTION: ALWAYS turn the heated blanket/mattress pad “OFF” when not in use.

Warming Throw Set Up


When setting up your warming throw, be sure to follow the steps below in order.

- 1 Locate the warming throw's information label near the module.
- 2 Make sure the cord is connected into the module at the bottom of the warming throw until the plastic hinges click into place.

CAUTION: Cord must be COMPLETELY CONNECTED. A risk of fire could result from a loose connection.



If there is a flashing light on your control, see page 8.



- 3 Plug the warming throw power cord into a 110-120 volt wall outlet.



CAUTION: Do not plug main power cord into the wall outlet until you have completely set up your warming product per the instructions.

- Disconnect power cord from wall before detaching control from warming product.
- Always make sure cords are NOT trapped or pinched between bed slats, mattress, springs, against wall, foot board or bed frame, or between furniture, walls or chairs.

CAUTION: Do not attempt to force the plug. This appliance has a polarized plug (one blade is wider than the other). To reduce the risk of electrical shock, this plug is intended to fit only one way into an outlet. If the plug does not fit in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician.

Control Features

SlimStyle™ AO (Auto-Off)

A85AP



Using Your Warming Throw Control:

- 1 To turn the throw on simply press the round gray button. The indicator light will glow, depending on which setting the warming throw is set, and the warming throw will begin to warm.

CAUTION: ALWAYS turn the warming throw "OFF" and disconnect the power cord from the outlet when not in use.

- 2 To turn the warming throw OFF simply press the round gray button through the different settings until the temperature setting lights are not glowing.

SlimStyle™

A85P



Features:

- 3 TEMPERATURE SETTINGS – select your personal comfort level
- SILENT OPERATION – no clicking when adjusting the temperature
- SOLID STATE – for accurate and consistent heat control
- EASY OPERATION – electronic control for easy operation
- EASY GRIP – ergonomic control for easy operation
- AUTO-OFF (SlimStyle AO only) – 3 hour Auto-Off (see page 2)

Care and Cleaning OF YOUR WARMING PRODUCT

We recommend washing before initial use.

Before Washing or Storing Your Warming Product:

- 1 Disconnect power cord from wall BEFORE detaching control cord from the warming product.
- 2 Ensure that no cords are still connected and none of the wires have worn through the fabric.
- 3 Carefully follow all washing instructions or your warming product may shrink and possibly cause a fire hazard.
 - **DO NOT** submerge control in water.
 - **DO NOT** dry clean your warming product. Dry cleaning solvents may damage the wires.
 - **DO NOT** use bleach or cleaning fluids.
 - **DO NOT** use a wringer.
 - **DO NOT** iron your warming product.
 - **DO NOT** use mothballs or sprays of any kind.
 - **DO NOT** reconnect the warming product or use it until it is COMPLETELY dry.
 - **DO NOT** wash or put into water the power cord or any of the product's cords.

Taking care of your warming product is easy and safe as long as you follow a few simple steps.

Machine Washing

- 1 Presoak the blanket/mattress pad/throw for 15 minutes in mild soap and lukewarm water.
- 2 Wash in mild soap and lukewarm water on the “delicate” or “gentle” cycle in the washer for two minutes. Remember, do not use bleach.
- 3 Rinse in fresh, lukewarm water.
- 4 Spin dry in the washing machine. Then gently stretch to its original size.

Machine Drying

Caution: Do not use commercial dryers or the dryers at your local Laundromat. They get too hot and would damage the wiring of the warming product.

- 1 Preheat the dryer on the “low” temperature setting for 2 minutes.
- 2 Place blanket/mattress pad/throw into the dryer and tumble dry for 10 minutes at a low temperature.
- 3 Remove the blanket/mattress pad/throw while it is still damp and gently stretch it to its original size.
- 4 Drape the warming product over a clothesline or a shower rod. DO NOT use clothespins.
- 5 Warming product must be COMPLETELY dry before reconnecting the power plug or control plug.

Hand Washing

- 1 Presoak the blanket/mattress pad/throw for 15 minutes in mild soap and lukewarm water.
- 2 Gently squeeze the soap suds through a few times.
- 3 Rinse in fresh, lukewarm water.

Hand Drying

- 1 Gently stretch the blanket/mattress pad/throw back to its original size.
- 2 Drape the warming product over a clothesline or hang over a shower rod. DO NOT use clothespins.
- 3 Warming product must be COMPLETELY dry before reconnecting the power plug or control plug.

Frequently Asked Questions OF YOUR WARMING PRODUCT

Q *Who should NOT use the heated blanket, heated mattress pad or warming throw?*

A The following people should NOT use the heated blanket, heated mattress pad or warming throw:

- An infant
- A child
- An incapacitated person
- A paraplegic
- A quadriplegic
- A diabetic
- Anyone insensitive to heat such as a person with poor blood circulation
- Anyone who cannot clearly understand the instructions and/or operate the controls

Q *What do the Underwriters Laboratories (UL) or (ETL) labels mean? What do either of these labels mean about safety of Sunbeam warming products?*

A Underwriters Laboratories (UL) develops product safety standards for a large range of products and performs independent tests based on these standards. Products tested by UL and which have passed all the safety standards are permitted to bear the UL label. Intertek Testing Services (ETL) is a certified, independent testing organization that tests products in accordance with UL safety standards and issues the ETL label for those products that meet the relevant UL standards. All Sunbeam® products are tested to UL standards and bear either the UL or ETL label to indicate that the product meets or exceeds UL/ETL safety standards for warming products.

Q *I have heard that some warming products have EMFs. What is this?*

A EMF stands for Electromagnetic Field. This is an electrical field that surrounds any wire that has current flowing along its length. Although several studies have been conducted to evaluate the impact, EMFs have not been proven to be harmful. In any event, Sunbeam® has reduced the strength of EMFs in its blankets/mattress pads/throws to very low levels.

Q *What do I do if my pet chews the cord, I lose my control or the control does not operate properly?*

A Please stop using the warming product immediately. Call our Consumer Service number listed under How to Obtain Warranty Service and ask for instructions on how and where to send the warming product.

Q *My control feels warm to the touch. Is this a problem?*


A No. The control will feel warm to the touch when functioning properly.

(FAQs continued on next page)

Q *My heated blanket/heated mattress pad/warming throw doesn't heat properly.*

A Your warming product is not a heating pad. It will not feel hot to the touch when laid out flat in a normal manner. Try the following fold test to see if it is operating properly:

- 1 Fold the heated blanket, heated mattress pad or warming throw 3 times over.
- 2 Make sure the control cord is connected to the module and then plug the power cord into an outlet.
- 3 Turn on your warming product, then turn the control to the highest setting and wait 5 to 7 minutes.
- 4 Put your hand between the folds and you should feel the blanket/mattress pad/throw warming up.



Caution: DO NOT continue the test for more than 7 minutes. DO NOT attempt to make any internal adjustments to this appliance. If you have tried all of the solutions above and the warming product still doesn't work, stop using it immediately, disconnect the power cord and contact Sunbeam Consumer Care.

Q *What does "FF" mean on my Electronic Digital Control?*

A The digital controls are designed to notify you in the event that a problem has been discovered by flashing "FF" on the display. Follow instructions on the flag tag to reset control. First, check the blanket/mattress pad for visual damage. If no visual damage is found, unplug the system from wall outlet. Check that the control is well-connected to the module. Plug the power cord into the wall outlet. Set the control to "On." If the system still does not operate after 2 or 3 times trying to reset, disconnect the power cord and contact Sunbeam Consumer Care.



Models:
ViewEasy™,
ChoicePlus™,
StyleSmart™,
SmartSense™

Q *What does a flashing light mean on my EasySet™, SlimStyle™ A0 or SlimStyle™ control ?*

A These controls are designed to notify you in the event that a problem has been discovered by flashing the light on the control. Follow instructions on the flag tag to reset control. First, check the warming product for visual damage. If no visual damage is found, unplug the system from wall outlet. Check that the control is well-connected to the module. Plug the power cord into the wall outlet and turn the control On. If the product still does not operate after 2 or 3 times trying to reset, disconnect the power cord and contact Sunbeam Consumer Care.

Limited Warranty

Sunbeam Products Inc. ("Sunbeam") warrants that for a period stated below from the date of purchase, this product will be free from defects in material and workmanship.

- All warming products branded Arlington™ will carry a **ONE** year limited warranty.
- All warming products branded Sunbeam® HomeChoice™, SlumberRest® Cuddler™ and Cuddle Up® will carry a **TWO** year limited warranty.
- All other warming products branded Sunbeam® and SlumberRest® will carry a **FIVE** year limited warranty.

Sunbeam, at its option, will repair or replace this product or any component of the product found to be defective during the warranty period. Replacement will be made with a new or remanufactured product or component. If the product is no longer available, replacement may be made with a similar product of equal or greater value. This is your exclusive warranty. This warranty is valid for the original retail purchaser from the date of initial retail purchase and is not transferable. Keep the original sales receipt. Proof of purchase is required to obtain warranty performance. Sunbeam dealers, service centers or retail stores selling Sunbeam products do not have the right to alter, modify or any way change the terms and conditions of this warranty. This warranty does not cover normal wear of parts or damage resulting from any of the following: negligent use or misuse of the product, use on improper voltage or current, use contrary to the operating instructions, disassembly or repair or alteration by anyone other than Sunbeam or an authorized service center. Further, the warranty does not cover Acts of God, or Nature, such as fire, flood, hurricanes and tornadoes. Sunbeam shall not be liable for any incidental or consequential damages caused by the breach of any express or implied warranty. Except to the extent prohibited by applicable law, any implied warranty of merchantability or fitness for a particular purpose is limited in duration to the duration of the above warranty. Some states, provinces or jurisdictions do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

DO NOT RETURN THIS PRODUCT TO THE PLACE OF PURCHASE.

How to obtain warranty service:

We're Here to Help. For any questions you may have about your warming product, please visit our web site at: www.sunbeam.com or contact Sunbeam Consumer Care: 1-800-892-7684.

The Sunbeam logo features the word "Sunbeam" in a classic, elegant cursive script. A thin, dark arch curves over the top of the letters, starting above the 'S' and ending above the 'm'. A small registered trademark symbol (®) is positioned to the right of the 'm'.

©2005 Sunbeam Products, Inc. All rights reserved. Sunbeam®, SlumberRest®, and Cuddle Up® are registered trademarks and Sleep warm. Sleep well.™, Arlington™, HomeChoice™, SimpliTouch™, SmartSense™, ChoicePlus™, StyleSmart™, ViewEasy™, EasySet™, SlimStyle™ and Cuddler™ are trademarks of Sunbeam Products, Inc., Boca Raton, FL 33431

Distributed by Sunbeam Products, Inc. Boca Raton, FL 33431

Printed in U.S.A.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>